

Notice to Readers: Limited Supply of Meningococcal Conjugate Vaccine, Recommendation to Defer Vaccination of Persons Aged 11--12 Years



Weekly

May 26, 2006 / 55(20);567-568

Persons using assistive technology might not be able to fully access information in this file. For assistance, please send e-mail to: mmwrq@cdc.gov. Type 508 Accommodation in the subject line of e-mail.

On May 19, this notice was posted as an MMWR Dispatch on the MMWR website (<http://www.cdc.gov/mmwr>).

Sanofi Pasteur anticipates that MCV4 demand will outpace supply at least through summer 2006. CDC, in consultation with ACIP, the American Academy of Pediatrics, American Academy of Family Physicians, American College Health Association, and Society for Adolescent Medicine, recommends that providers continue to vaccinate adolescents at high school entry who have not previously received MCV4 and college freshmen living in dormitories. Current supply projections from Sanofi Pasteur suggest that enough MCV4 will be available to meet vaccine demand for these groups. Until further notice, administration of MCV4 to persons aged 11--12 years should be deferred. If possible, providers should track persons aged 11--12 years for whom MCV4 has been deferred and recall them for vaccination when supply improves. Other persons at high risk for meningococcal disease (i.e., military recruits, travelers to areas where meningococcal disease is hyperendemic or epidemic, microbiologists who are routinely exposed to isolates of *N. meningitidis*, persons with anatomic or functional asplenia, and persons with terminal complement deficiency) also should be vaccinated.

For vaccination of most persons, MCV4 is preferable to tetravalent meningococcal polysaccharide vaccine ([MPSV4] Menomune[®]-A,C,Y,W-135, manufactured by Sanofi Pasteur). MPSV4 is highly effective in preventing meningococcal disease caused by serogroups A, C, Y, and W-135 and is an acceptable alternative to MCV4, particularly in persons who have brief elevations in their risk for meningococcal disease (e.g., travelers to areas where meningococcal disease is hyperendemic or epidemic); however, availability of MPSV4 also is limited.

Periodic updates of vaccine supply will be available at <http://www.cdc.gov/nip/news/shortages/default.htm>. Providers who have questions about their orders may contact Sanofi Pasteur at 800-VACCINE (i.e., 822-2463) or via its Internet site at <http://www.vaccineshoppe.com>.

Reference

1. [CDC. Prevention and control of meningococcal disease: recommendations of the Advisory Committee on Immunization Practices \(ACIP\). MMWR 2005;54\(No. RR-7\).](#)

Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services.

References to non-CDC sites on the Internet are provided as a service to *MMWR* readers and do not constitute or imply endorsement of these organizations or their programs by CDC or the U.S. Department of Health and Human Services. CDC is not responsible for the content of pages found at these sites. URL addresses listed in *MMWR* were current as of the date of publication.

Disclaimer All *MMWR* HTML versions of articles are electronic conversions from ASCII text into HTML. This conversion may have resulted in character translation or format errors in the HTML version. Users should not rely on this HTML document, but are referred to the electronic PDF version and/or the original *MMWR* paper copy for the official text, figures, and tables. An original paper copy of this issue can be obtained from the Superintendent of Documents, U.S. Government Printing Office (GPO), Washington, DC 20402-9371; telephone: (202) 512-1800. Contact GPO for current prices.

**Questions or messages regarding errors in formatting should be addressed to mmwrq@cdc.gov.

Date last reviewed: 5/25/2006